

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|--|---|------------------|---------|------------------|
| L2 | 8 | ((("6553029") or ("6804236") or ("6785274") or ("6735201"))).PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/07 08:15 |
| L3 | 0 | (compar\$4) with (range) with (MAC) same (Infiniband) same (switch or node) and @ad<="20020110" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 08:05 |
| L4 | 0 | (compar\$4) same (range) same (MAC) same (Infiniband) same (switch or node) and @ad<="20020110" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 08:05 |
| L5 | 238207 | (compar\$4) same (range) same (MAC) sand(Infiniband) same (switch or node) and @ad<="20020110" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 08:05 |
| L6 | 0 | (compar\$4) same (range) same (MAC) and (Infiniband) same (switch or node) and @ad<="20020110" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 08:05 |
| L7 | 7 | (compar\$4) same (range) same (MAC) and (Infini\$5) same (switch or node) and @ad<="20020110" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 08:07 |
| L8 | 9 | (compar\$4 or table) same (range) same (MAC) and (Infini\$5) same (switch or node) and @ad<="20020110" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 08:07 |
| L9 | 2 | I8 not I7 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 08:07 |
| L10 | 47 | (send\$4 or transmit\$4) same (multiple or many or node) with Infiniband and @ad<="20020110" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 08:19 |

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| L11 | 0 | (send\$4 or transmit\$4) same (multiple or many or node) with Infiniband with MAC and @ad<="20020110" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 08:17 |
| L12 | 1 | (send\$4 or transmit\$4) same (multiple or many or node) with Infiniband same MAC and @ad<="20020110" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 08:19 |
| L13 | 5 | ((send\$4 or transmit\$4) same (multiple or many or node) with Infiniband).ab. and @ad<="20020110" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 08:25 |
| L14 | 3 | (MAC) with (detector) same (transmit\$4 or send\$4) with (switch) and @ad<="20020110" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 08:31 |
| L15 | 4 | (MAC) with (detector) same (transmit\$4 or send\$4) same (switch) and @ad<="20020110" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 08:28 |
| L16 | 0 | (MAC) near3 (detector) same (transmit\$4 or send\$4) same (switch) and @ad<="20020110" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 08:28 |
| L17 | 1 | l15 not l14 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 08:28 |
| L18 | 13 | (MAC) same (detector) same (transmit\$4 or send\$4) same (switch) and @ad<="20020110" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 08:28 |
| L19 | 9 | l18 not l15 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 08:28 |
| L20 | 342 | (MAC) near2 address same (transmit\$4 or send\$4) with (switch) and @ad<="20020110" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 08:32 |

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| L21 | 85 | (MAC) near2 address near4 table same (transmit\$4 or send\$4) with (switch) and @ad<="20020110" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 08:32 |
| L22 | 31 | (MAC) near2 address near4 table with(transmit\$4 or send\$4) with (switch) and @ad<="20020110" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 08:39 |
| L23 | 0 | (MAC) near2 address near4 table same (transmit\$4 or send\$4 or forward\$4) with (umwant\$4) same (address or MAC or packet) with (switch) and @ad<="20020110" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 08:52 |
| L24 | 0 | (MAC) near2 address near4 table and (transmit\$4 or send\$4 or forward\$4) with (umwant\$4) same (address or MAC or packet) with (switch) and @ad<="20020110" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 08:40 |
| L25 | 8 | (MAC) near2 address near4 table and (transmit\$4 or send\$4 or forward\$4) with (unwant\$4) same (address or MAC or packet) with (switch) and @ad<="20020110" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 08:40 |
| L26 | 8 | (MAC) near2 address near4 table and (transmit\$4 or send\$4 or forward\$4) with (unwant\$4) same (address or MAC or packet) same (switch) and @ad<="20020110" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 08:41 |
| L27 | 11 | (MAC) near2 address near4 table and (transmit\$4 or send\$4 or forward\$4) same (unwant\$4) same (address or MAC or packet) same (switch) and @ad<="20020110" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 08:41 |
| L28 | 3 | L27 not L26 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 08:44 |
| L29 | 0 | (deliver\$4 or transmit\$4 or send\$4) with (unwant\$4) near3 (packet or address or MAC or IP) with (switch or node or router) and @ad<="20020110" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 08:45 |
| L30 | 10 | (deliver\$4 or transmit\$4 or send\$4) same (unwant\$4) near3 (packet or address or MAC or IP) with (switch or node or router) and @ad<="20020110" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 08:45 |

| | | | | | | |
|-----|----|--|---|----|-----|------------------|
| L31 | 86 | (MAC) near2 address near4 table same (retransmit\$4 or resend\$4 or forward\$4) same (address or MAC or packet) with (switch) and @ad<="20020110" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 08:52 |
| L32 | 7 | (MAC) near2 address near4 table same (retransmit\$4 or resend\$4) same (address or MAC or packet) with (switch) and @ad<="20020110" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 09:15 |
| L33 | 7 | (MAC) near2 address near4 table same (retransmit\$4 or resend\$4) same (address or MAC or packet) with (switch) same (vlan or vwan or "virtual network") and @ad<="20020110" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 09:16 |
| L34 | 10 | (re\$send or re\$transmit\$4) with (MAC or IP) same address with switch and @ad<="20020110" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/07 10:30 |
| S1 | 6 | ((("6438128") or ("6661787") or ("20020191599")).PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/07 07:59 |